

# Product datasheet

Specifications



## 1 Gang Cable TVF Connector

KB31TVF

### Main

|                           |                    |
|---------------------------|--------------------|
| range of product          | Vivace             |
| Range                     | Vivace             |
| Device short name         | KB31               |
| product or component type | TVF socket         |
| TV socket type            | TV                 |
| Device presentation       | Complete mechanism |

### Complementary

|                         |                                                                             |
|-------------------------|-----------------------------------------------------------------------------|
| Number of gangs         | 1 gang                                                                      |
| Number of outputs       | 1                                                                           |
| Connector type          | M-110 keystone RJ45 connector                                               |
| Material                | Polycarbonate: surround<br>Polycarbonate: grid plate<br>Polycarbonate: base |
| projecting depth        | 8 mm                                                                        |
| Device mounting         | Flush                                                                       |
| mounting support        | Wall mounted                                                                |
| Fixing mode             | By screw M3.5                                                               |
| Fixing center           | 60.3 mm                                                                     |
| Colour tint             | White                                                                       |
| Embedding depth         | 35 mm                                                                       |
| Connections - terminals | Clamp terminal                                                              |
| Tightening torque       | 0.4 N.m                                                                     |
| Width                   | 87 mm                                                                       |
| Height                  | 87 mm                                                                       |
| Main colour tint        | White                                                                       |

### Environment

|                                       |            |
|---------------------------------------|------------|
| Ambient air temperature for operation | -5...40 °C |
| Relative humidity                     | 0...95 %   |
| Environmental characteristic          | Indoor use |

### Packing Units

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Weight             | 70.28 g |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[How we assess product sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

 Mercury Free

 RoHS Exemption Information Yes

## Certifications & Standards

|                          |                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Reach Regulation         | <a href="#">REACH Declaration</a>                                                                                     |
| Eu Rohs Directive        | Compliant with Exemptions                                                                                             |
| China Rohs Regulation    | <a href="#">China RoHS declaration</a><br>Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | <a href="#">Product Environmental Profile</a>                                                                         |
| Circularity Profile      | No need of specific recycling operations                                                                              |